


INTERACTIVE-FLAT FLOOR (D)

NOTE:

1. THESE DRAWINGS ILLUSTRATE CONDUIT SOURCE AND DESTINATION. THEY ARE NOT TO BE CONSTRUED AS DESIGNED. SPECIAL SYSTEMS DRAWINGS SHALL SHOW CONDUIT ROUTES AS DESIGNED.
2. SEE FDI VOL 5, 16750, TABLE 2 FOR CONDUIT QUANTITY AND SIZING.

- 1 RECESSED EQUIPMENT CABINET LOCATION SHALL HAVE STANDARD C&C OUTLET AND POWER.
- 2 PROVIDE PERMANENTLY-MOUNTED TELEVISION STUDIO-QUALITY LIGHTING GRID AT FRONT OF ROOM.
- 3 PROVIDE 3-CHANNEL FLOOR DUCT (FOR DATA/MICROPHONE/POWER) SIZED FOR MAXIMUM SEATING CAPACITY OF ROOM.

	COMPUTING & COMMUNICATIONS	SPECIAL SYSTEMS: GENERIC CLASSROOM (D) SCHEMATIC	DRN. BY: G. Hanna	SCALE: NONE
	PLANNING AND FACILITIES INFRASTRUCTURE		CHECK: P. Stark	CAD NAME: CLASSR-D.DWG
APPR: B. Parks		DATE: 12/22/95	DWG. NO.:	
REV.:		DATE:	SD-CM-7.4	
	REV. BY:			