



INTERACTIVE-TIERED FLOOR (E)

NOTE:

1. THESE DRAWINGS ILLUSTRATE CONDUIT SOURCE AND DESTINATION. THEY ARE NOT TO BE CONSTRUED AS DESIGNED. SPECIAL SYSTEMS DRAWINGS SHALL SHOW CONDUIT ROUTES AS DESIGNED.
2. SEE FDI VOL 5, 16750, TABLE 2 FOR CONDUIT QUANTITY AND SIZING.
3. TAKE CONDUIT TO CONTROL ROOM.

- 1 RECESSED EQUIPMENT CABINET LOCATION SHALL HAVE STANDARD C&C OUTLET AND POWER.
- 2 SHOWN FOR DATA ONLY. CONDUIT STUBS INTO J-BOX POSITIONED VERTICALLY IN RISER. PROVIDE SEPARATE PATH TO TRAY FOR MICROPHONES. EACH SEAT NEEDS POWER.
- 3 PROVIDE PERMANENTLY-MOUNTED TELEVISION STUDIO-QUALITY LIGHTING GRID AT FRONT OF ROOM.
- 4 IN FLOOR.
- 5 IN CEILING.



COMPUTING & COMMUNICATIONS  
 PLANNING AND FACILITIES INFRASTRUCTURE

SPECIAL SYSTEMS:  
 GENERIC CLASSROOM (E)  
 SCHEMATIC

|                   |       |
|-------------------|-------|
| DRN. BY: G. Hanna |       |
| CHECK: P. Stark   |       |
| APPR: B. Parks    |       |
| DATE: 12/22/95    |       |
| REV.:             | DATE: |
| REV. BY:          |       |

|                           |
|---------------------------|
| SCALE:<br>NONE            |
| CAD NAME:<br>CLASSR-E.DWG |
| DWG. NO.:<br>SD-CM-7.5    |