


PROJECTION ROOM (F)

NOTE:

1. THESE DRAWINGS ILLUSTRATE CONDUIT SOURCE AND DESTINATION. THEY ARE NOT TO BE CONSTRUED AS DESIGNED. SPECIAL SYSTEMS DRAWINGS SHALL SHOW CONDUIT ROUTES AS DESIGNED.
2. SEE FDI VOL 5, 16750, TABLE 2 FOR CONDUIT QUANTITY AND SIZING.

- 1 ▷ PROVIDE PARALLEL PATHWAY FOR DATA (EQUIVALENT TO WIREMOLD 4000) AND POWER (MULTIPLE OUTLET POWER STRIP).
- 2 ▷ SURFACE MOUNTED RACEWAY TERMINATION BOX (APPROX. 8" x 12").
- 3 ▷ ALLOW SPACE FOR (2) EIA 19" EQUIPMENT RACK CABINETS.

	COMPUTING & COMMUNICATIONS	SPECIAL SYSTEMS: GENERIC CLASSROOM SUPPORT SPACE (F) SCHEMATIC	DRN. BY: G. Hanna		SCALE: NONE
	PLANNING AND FACILITIES INFRASTRUCTURE		CHECK: P. Stark		CAD NAME: CLASSR-F.DWG
			APPR: B. Parks		DWG. NO.:
			DATE: 12/22/95		SD-CM-7.6
			REV.:	DATE:	
			REV. BY:		