

CONTROL ROOM (G)
(MASTER CONTROL ROOM (H) IS A CUSTOM DESIGN)

NOTE:


1. THESE DRAWINGS ILLUSTRATE CONDUIT SOURCE AND DESTINATION. THEY ARE NOT TO BE CONSTRUED AS DESIGNED. SPECIAL SYSTEMS DRAWINGS SHALL SHOW CONDUIT ROUTES AS DESIGNED

2. SEE FDI VOL 5, 16750, TABLE 2 FOR CONDUIT QUANTITY AND SIZING.

⊙ ONE 120V 20A TWISTLOCK RECEPTACLE EVERY 4' ATTACHED TO SIDE OF TRAY. ONE DEDICATED CIRCUIT PER TWO RECEPTACLES.

1 ADDRESS SPECIAL REQUIREMENTS FOR MAINTENANCE LIGHTING BEHIND RACKS.

2 PROVIDE MIN. (2) 2" TO PROJECTION ROOM AND MIN. (4) 4" TO MASTER CONTROL ROOM.

	COMPUTING & COMMUNICATIONS	SPECIAL SYSTEMS: GENERIC CLASSROOM SUPPORT SPACE (G) SCHEMATIC	DRN. BY: G. Hanna		SCALE: NONE
			CHECK: P. Stark		
	PLANNING AND FACILITIES INFRASTRUCTURE		APPR: B. Parks		CAD NAME: CLASSR-G.DWG
			DATE: 12/22/95		
			REV.:	DATE:	DWG. NO.:
		REV. BY:	SD-CM-7.7		