



COMPUTING & COMMUNICATIONS
PLANNING AND FACILITIES INFRASTRUCTURE

TYPICAL OUTLET SCHEDULE

OUTLET SCHEDULE : C.R. 000 (REFLECTS CLOSET #)

OUTLET ID	ROOM TYPE	ROOM SQFT	INFRASTRUCTURE			CABLE PLANT			COMMENT
			APPROX TO CR (FT)	DIST	CO SIZE	BOX SIZE	DIST AFF	UNSHIELDED TWISTED PAIR	
000	C.R.	32	--	--	--	--	--	--	No Outlets
101.1	Area of Refuge	--	97 *	**	2" x 4"	48"	----		*Distance to ER **Variable
106.1	Office	196	61	1"	4" x 4"	18"	(2)V3/(2)D5		No Cable
106.2	Office		61		SMR	36"			
107.1	Office	125	97	1"	4" x 4"	18"	(2)V3/(2)D5		
107.2	Office		92	1"	4" x 4"	18"			
108.1	Office	106	47	1"	4" x 4"	18"			
108.2	Office		47	1"	4" x 4"	18"			
109.1	Conference	261	91	1"	4" x 4"	18"	(2)V3/(2)D5		
109.2	Conference		89	1"	4" x 4"	18"	(2)V3/(2)D5		
109.3	Conference		89	1"	4" x 4"	18"	(2)V3/(2)D5		
109.4	Conference		89	1"	4" x 4"	18"	(2)V3/(2)D5		
110.1	Resch Lab	584	68	1"	4" x 4"	18"	(2)V3/(2)D5		
110.2	Resch Lab		72	1"	4" x 4"	18"	(2)V3/(2)D5		
110.3	Resch Lab		72	1"	4" x 4"	18"	(2)V3/(2)D5		
110.4	Resch Lab		68	1"	4" x 4"	18"	(2)V3/(2)D5		
110.5	Resch Lab		68		SMR	39"	(2)V3/(2)D5		
110.6	Resch Lab		68	3/4"	2" x 4"	48"	(2)V3		Coord w/furn
110A.1	Office	111	72	1"	4" x 4"	18"	(2)V3/(2)D5		
110A.2	Office		72	1"	4" x 4"	18"	(2)V3/(2)D5		
115.1	Comp Lab	320	88	3/4"	2" x 4"	48"	(2)V3		
115.2	Comp Lab		81		SMR	36"	(2)D5		
115.3	Comp Lab		75	1"	4" x 4"	36"	(2)V3/(2)D5		
115.4	Comp Lab		71		SMR	36"	(2)D5		
115.5	Comp Lab		66		SMR	36"	(2)D5		
115.6	Comp Lab		60		SMR	36"	(2)D5		
115.7	Comp Lab		53		SMR	36"	(2)D5		
115.8	Comp Lab		51		SMR	36"	(2)D5		

DRN. BY: E. Horst
CHECK: P. Stork
APPR: B. Parks
DATE: 9/1/92
REV: 3.0
REV. BY: G. Hanna
DATE: 12/22/95

SCALE: NONE
CAD NAME: FLRSCH.DWG
DWG. NO.: SD-CM-5