

VII. STANDING COMMITTEES**B. Finance, Audit and Facilities Committee****Renaming the “Physical Plant Office Building” to the “Facilities Services Administration Building”****RECOMMENDED ACTION:**

It is the recommendation of the Senior Vice President for Finance and Facilities, the Associate Vice President for Facilities Services and the University Names Committee, with the concurrence of President Mark Emmert, that the “Physical Plant Office Building” be renamed the “Facilities Services Administration Building.”

BACKGROUND:

The Physical Plant Office Building houses core administrative functions for Facilities Services, a division of Finance and Facilities. They have been known as “Facilities” for over twenty years, first as Facilities Management and, since 1994, as Facilities Services. This renaming reflects the organization’s commonly known identity as well as its place within the Finance and Facilities organization.

Attachment

University Names Committee Approval Letter



EVANS SCHOOL OF PUBLIC AFFAIRS

UNIVERSITY of WASHINGTON

May 19, 2009

Mark A. Emmert
President
301 Gerberding Hall
University of Washington
Box 351230


Dear President Emmert:

The University Names Committee has reviewed a request from Associate Vice President Charles Kennedy and Executive Vice President V'Ella Warren recommending two name changes for buildings. The newly completed West Campus Parking Garage would be re-named the Portage Bay Parking Facility to more clearly indicate its location. The Physical Plant Office Building would be re-named the Facilities Services Administration Building to align with current organizational identity for its sole occupants.

The University Names Committee has reviewed and approved both proposals. On behalf of the committee, I respectfully ask that you grant this request.

Sincerely,

Sandra O. Archibald
Dean and Professor
Chair, Campus Names Committee

 5/22/09
Concurrence Date
Mark A. Emmert, President

cc: University Names Committee
V'Ella Warren, Box 354998
Minnie Gonzales, Box 352215